



Specifications:
 Grid: 3x230/400V - 50 Hz TT-NET
 Capsule: IP44 / Sockets IP44
 Ambient Temperature: Min.-20/Max.+50°C
 Short Cut (EN60947-2): Icu max. = 6 kA

 <p>TallyKey A/S Fabriksvej 14 DK-7600 Struer Phone: + 45 97 84 12 77 Fax: + 45 97 85 16 24</p>	Customer name:	Project name: T4W41S05	Drawing no.:
	Address:	Page title: Diagram	Version: 01
	Zip code: City:	Content/type:	Prepared by: RKO Date: 01-07-2024
	Country:	File name: T4W41S05	Printed:01-07-2024 10:03:06



tallykey®
 TallyKey A/S
 Fabriksvej 14
 DK-7600 Struer
 Phone: + 45 97 84 12 77
 Fax: + 45 97 85 16 24

Customer name:	Project name: T4W41S05
Address:	Page title: Diagram
Zip code: City:	Content/type: Diagram
Country:	File name: T4W41S05


Project name: T4W41S05	Drawing no.:
Page title: Diagram	Version: 01
Content/type: Diagram	Prepared by: RKO Date: 01-07-2024
File name: T4W41S05	Page no.: 2 of 4 pages

Project name: T4W41S05	Drawing no.:
Page title: Diagram	Version: 01
Content/type: Diagram	Prepared by: RKO Date: 01-07-2024
File name: T4W41S05	Page no.: 2 of 4 pages

/1.5 24VDC

24VDC

-TALLYBEE TWC



/1.5 GND

GND

tallykey[®]

TallyKey A/S
 Fabriksvej 14
 DK-7600 Struer
 Phone: + 45 97 84 12 77
 Fax: + 45 97 85 16 24

Customer name:
 Address:
 Zip code: City:
 Country:

Project name: T4W41S05
 Page title: Diagram
 Content/type:
 File name: T4W41S05
 Printed: 01-07-2024 10:03:08

Drawing no.:
 Version: 01
 Prepared by: RKO Date: 01-07-2024
 Page no.: 4 of 4 pages